Dart Aerospace Ltd. Tuesday, 3/11/2008 7:57:39 AM Date: User: Kim Johnston **Process Sheet** : WEARPLATE **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 37751 : 10601 **Estimate Number** Part Number : D25777 P.O. Number S.O. No. : : D2577 REV E : 3/11/2008 **Drawing Number** This Issue : NC : N/A Project Number Prsht Rev. First Issue : // Type : SMALL /MED FAB **Drawing Revision** : E : 30469 Previous Run Material : 4/4/2008 **Due Date** Qty: 10 Um: Each Written By Checked & Approved By 02.09.24 Re-format KJ Comment : Est: Est Rev:G Now On Waterjet 07-01-26 JLM **Additional Product** Job Number: **Machine Or Operation:** Seq. #: Description: M1010S16GA 1010/1025/A21/6aA SHEET 1.0 Comment: Qty.: 1.0143 sf(s)/Unit Total: 10.1430 sf(s) 1010/1025/A21/6aA SHEET 2.0 WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D2577 Dwg Rev:_ Prog Rev:__ 2-Deburr if necessary QC2 INSPECT PARTS AS THEY COME OFF MACHINE 8-3-26 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 SECOND CHECK Comment: SECOND CHECK SMALL FAB SMALL & MEDIUM FAB RESOURCE 1

U

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary

Dart Aerospace Ltd

W/O: WORK ORDER CHANGES					•••••				
DATE	STEP		· · · · · · · · · · · · · · · · · · ·	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				•					
				<u> </u>					
Part No	:		PAR #	: Fault Category:		No DQ		Date:	

NCR:		w w	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspecto		
		·								
			·							
						<u>.</u>				
:								-		
							*	•		

NOTE: Date & initial all entries

Tuesday, 3/11/2008 7:57:39 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: WEARPLATE Customer: CU-DAR001 Dart Helicopters Services Job Number: 37751 Part Number: D25777 Job Number: Seq. #: Description: Machine Or Operation: 6.0 BRAKE NC NC BRAKE Comment: NC BRAKE 513 08/04/03 1-Form on brake using DT8155 and DT8179 as per Dwg D2577 2-Identify as D2577-7 3-Form joggle as per Dwg D2577 using DT8157. INSPECT WORK TO CURRENT S 7.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 8.0 POWDER COATING M 106442 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 9.0 QC3 INSPECT POWDER COAT/CHEMICAL Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 10.0 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 11.0 FINAL INSPECTION/W/O RELEASE QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion W 08.04.04

Dart Aerospace Ltd

W/O:		WORK ORDER CHANG	ES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
J. 10					-		
				- · - · · · · · · · · · · · · · · · · ·			
Part No	•	PAR #: Fault Category:	NCR: Yes	No DO	Δ.	Date:	


QA: N/C Closed: ____ Date: ____

NCR:			WORK ORE	DER NON-CONFORMAN	CONFORMANCE (NCR)			
		Description of NC	Corrective Action Section B		Verification Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto
		·						
								*

NOTE: Date & initial all entries

7560 HARDCOAT WELD 4.0 LONG 0.063 TO 0.125 HIGH

(TYP. 11 PLS.) WELD AFTER BENDING AS ILLUSTRATED PER DT8308



D2577-1 & D2577-3 WEARSHOE

MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED





D2941-300 SHWAYDER WEAPADS —	
(8 PLACES)	SECTION A-A
,	SCALE 1:5
_ A \	R2.00 ¬
A 1.50 (TYP)	D2941-300 (REF)
	COAT FROM THESE
	SURFACES
	→ 4 ₹

D2577-21 & D2577-23 WEARSHOE

MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

DESIGN	DRAWN BY	DART AEROSPACE LTD
CHECKED	APPROVED	DRAWING NO. REV. E
÷	专	D2577 SHEET 1 OF 5
DATE		TITLE SCALE
00.09.22		WEARSHOE 1:10
A	96.09.16	NEW ISSUE
 В	96.12.04	ADD HARDCOAT WELDS
 C	97.05.30	CHANGE HOLES TO OBROUNDS
 D	98.08.17	CORRECTED DIMENSIONS ON -1 & -3
 m	00.09.22	ADD D2577-101/-11/-13

	10. 11. 11. 11. 11. 11. 11. 11. 11. 11.		1
5 1. 7 1. 7 1.	general and the second of the		
		•	
*			
• 			
			•
	. •		
和 1. 2. 3. 3. 3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			
			٠
			. #**#* -
,	and the same of th		

R0.128 -2.50 (REF) (2 PLACES) SEE DETAIL B 2.43 ON PAGE 5 **←** 6.000 3.182 18.000 24.000 30.000 36.000


D2577-101 FLAT PATTERN

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED




D2577-11 & D2577-13 LONGITUDINAL BEND MAKE FROM D2577-101 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED




WEARSHOE 1:10		00.09.22
TITLE . SCALE		DATE
D2577 SHEET 2 OF 5	A	÷
DRAWING NO. REV. E	APPROVED	бахозно
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	DRAWN BY	DESIGN

· · · · · · · · · · · · · · · · · · ·	10 10 10 10 10 10 10 10			
				´ .
		· .		
	greet and the second se			
	•			
•				
				į
- 				
•				
i r				
(;				
; ;				*
				•
•			.×.■	

D2577-5 FLAT PATTERN



D2577-5 LONGITUDINAL BEND



D2577-5 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED





OF SIGIN) .	
÷	4	
СНЕСКЕР	APPROVED	DRAWING N
4	A	02577
DATE		3711

SHEET


3 OF 5

SCALE


00.09.22

WEARSHOE

D2577-7 FLAT PATTERN



D2577-7 LONGITUDINAL BEND



D2577-7 WEARSHOE


BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED





00.09.22







DESIGN	DRAWN BY		SPACE LTD DITARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. E
#	#	D2577	SHEET 5 OF 5
DATE		TITLE	SCALE
00.09.22		WEARSHOE	1:10

DETAIL B (SCALE 1:1)






DETAIL C (SCALE 1:1)



SECTION D-D (SCALE 1:1)



SHOP COPY RETURN TO ENGINEERING INCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	37757	
Déscription: WEAR PLATE	Part Number:	0 3477 -7	
luspection Dwg:D3577-7 Rev: E		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

<u> : : : : : : : : : : : : : : : : : : :</u>		•				,
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	
065.	H_ ,010	.992	k			
-300	4010	.305	¥			
2.43	4036	2.435	×			<u> </u>
Q. G	4630	2.50	X	<u> </u>		
5.50	1030	2.50	*	<u> </u>		
3.182	4010	3.182	*			
23.500	4- 1010	23,006	×			
278.2	4- 010	5,875	*			
28.50	4036		*			
			· ·			
·						
			······			
						·
		-				
	1	<u></u>		L		<u> </u>

Measured by: B Audited by: Prototype Approval: V/
Date: 9-3-26 Date: 000000 Date: 4

 Rev
 Date
 Change
 Revised by
 Approved

 A
 New Issue
 KJ/JLM

